

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2343	(includ\$3 OR add \$3 OR append\$3) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3) near5 (data OR info OR information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:19
L2	430	(includ\$3 OR add \$3 OR append\$3) near2 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near2 (bit\$1 OR flag\$4 OR indicat\$3) near2 (data OR info OR information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:20
L3	0	(includ\$3 OR add \$3 OR append\$3) near2 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near2 (bit\$1 OR flag\$4 OR indicat\$3) near2 (data OR info OR information) near5 (bas\$3 OR result \$3 OR from) near5 (data near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:31

L4	3	(includ\$3 OR add\$3 OR append\$3) near2 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near2 (bit\$1 OR flag\$4 OR indicat\$3) near2 (data OR info OR information) near5 (data near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:31
L5	12	(includ\$3 OR add\$3 OR append\$3) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3) near5 (data OR info OR information) near5 (data near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:35
L6	181	(includ\$3 OR add\$3 OR append\$3) WITH (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) WITH (bit\$1 OR flag\$4 OR indicat\$3) WITH (data OR info OR information) WITH (data near2 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:42

L7	142	(includ\$3 OR add \$3 OR append\$3) WITH ((bit\$1 OR flag\$4 OR indicat \$3) near5 (data OR info OR information)) WITH (data near2 address\$3) WITH (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 16:58
L8	115	(includ\$3 OR add \$3 OR append\$3) near5 (bit\$1 OR flag\$4 OR indicat \$3) near5 (data OR info OR information) near5 (bas\$3 OR result \$3 OR from) near5 ((data near2 address\$3) OR user ADJ memory OR (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) ADJ memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:02
L12	46	((general ADJ purpose ADJ register\$1 OR GPR \$1) near5 (secur \$3)) AND (secur\$3 near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:14
L13	68	((general near2 register\$1) OR GPR \$1) WITH ((secur \$3) near5 (bit\$1 OR flag\$4 OR indicat\$3 OR tag \$4 OR mark\$3 OR identif\$4 OR value \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:17

L14	734	((register\$1)) near5 ((secur\$3) near3 (bit\$1 OR flag\$4 OR indicat \$3 OR tag\$4 OR mark\$3 OR identif \$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:18
L15	1898	(711/163).CCLS	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 17:18
L16	36	L14 AND L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:18
L19	23	((instruct\$3 OR command\$3) near5 (fetch\$3 OR load\$3)) WITH (determin\$3 OR indicat\$3 OR establish\$3) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM OR ROM)) WITH address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:26
L20	18	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicator\$1)) WITH (general ADJ purpose ADJ register\$1 OR GPR \$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:28

L21	86	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status OR flag\$1 OR indicator\$1)) SAME (general ADJ purpose ADJ register\$1 OR GPR \$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:28
L22	12	(context ADJ switch\$3) SAME stack\$1 SAME (RAM OR SDRAM OR SRAM OR DRAM) SAME interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:28
L23	434	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR program\$4) near3 (key\$1 OR token \$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:29
L24	1898	(711/163).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/08 17:29
L25	6	L23 AND L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:29

L26	50	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) SAME ((debug\$4 OR (error near3 (correct\$3 OR fix \$3))) WITH (key \$1 OR token\$1 OR passcode\$1 OR pin \$1 OR password \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:29
L27	20	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicat\$3)) WITH (general ADJ purpose ADJ register\$1 OR GPR \$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:30
L28	1	(arithmetic near5 (operation\$1 OR instruction\$1)) SAME (((status ADJ register\$1)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl \$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:31
L29	1	((status ADJ register\$1) near5 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl \$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:31

L31	1	((((status ADJ register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar \$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl \$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:31
L32	25	((((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar \$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl \$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:31
L33	37	((((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar \$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) WITH (requir\$3 OR enabl \$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:32

L34	3	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void \$1) near5 (secur \$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:33
L35	131	((protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) near2 memory) SAME ((non ADJ (protect \$2 OR secure\$1 OR restrict\$2 OR lock\$2) OR unprotect\$2 OR unsecure\$1 OR unrestrict\$2 OR unlock\$2) near2 memory) SAME ((data OR word\$1 OR block\$1 OR datum) near5 (bit \$1 OR flag\$4 OR byte\$1 OR indicat \$3 OR status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:39
L36	39	((protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) near2 memory) WITH ((non ADJ (protect \$2 OR secure\$1 OR restrict\$2 OR lock\$2) OR unprotect\$2 OR unsecure\$1 OR unrestrict\$2 OR unlock\$2) near2 memory) WITH ((data OR word\$1 OR block\$1 OR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:40

		datum) near5 (bit \$1 OR flag\$4 OR byte\$1 OR indicat \$3 OR status))				
L37	272	((protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) near2 (data OR datum OR information OR info)) WITH ((non ADJ (protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) OR unprotect \$2 OR unsecure\$1 OR unrestrict\$2 OR unlock\$2) near2 (data OR datum OR information OR info)) WITH (bit\$1 OR flag\$4 OR byte \$1 OR indicat\$3 OR status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:53
L38	133	((((protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) near2 (data OR datum OR information OR info)) WITH ((non ADJ (protect\$2 OR secure\$1 OR restrict\$2 OR lock \$2) OR unprotect \$2 OR unsecure\$1 OR unrestrict\$2 OR unlock\$2) near2 (data OR datum OR information OR info))) near5 (bit \$1 OR flag\$4 OR byte\$1 OR indicat \$3 OR status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:53

L39	38	((protect\$2 OR secure\$1 OR restrict\$2 OR lock\$2) near2 (data OR datum OR information OR info)) WITH ((non ADJ (protect\$2 OR secure\$1 OR restrict\$2 OR lock\$2) OR unprotect\$2 OR unsecure\$1 OR unrestrict\$2 OR unlock\$2) near2 (data OR datum OR information OR info))) near5 (bit\$1 OR flag\$4 OR byte\$1 OR indicat\$3 OR status) SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 17:54
-----	----	---	---	----	----	------------------

10/8/2008 6:12:51 PM

C:\Documents and Settings\mkrofcheck\My Documents\Files from Applications
\10764513\10764513.wsp